



Open-Cell | Polyol Component B



Safety Data Sheet

Sect	tion 1: Product and Company Identifi	cation			
	Product Name		VPC-50 NF		
	Chemical Name		Polyurethane Resin/B-side		
	Product Type		Liquid		
	Product Use		Component B of a Spray-Applied Polyurethane System		
.2	Name, Address, and Telephone of the Responsible Party				
	Company		Victory Polymers Corp. 1700 Post Oak Boulevard 2 BLVD Place, Suite 600 Houston, TX 77056 U.S.A.		
	Telephone Number		1-832-240-7222 / International: 001-832-240-7222		
	Email		info@VictoryPolymers.com		
	Website		VictoryPolymers.com		
1.3	Emergency Telephone Number				
	For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak,		1-800-424-9300		
	Fire, Exposure, or Accident, Call CHEMTREC I		1-000-424-9300		
		Day or Night	+1-703-527-3887 CCN838152		
Sect	Fire, Exposure, or Accident, Call CHEMTREC I Outside USA and Canada (collect calls accept tion 2: Hazards Identification	Day or Night			
	Fire, Exposure, or Accident, Call CHEMTREC I Outside USA and Canada (collect calls accept	Day or Night			
	Fire, Exposure, or Accident, Call CHEMTREC I Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings	Day or Night			
	Fire, Exposure, or Accident, Call CHEMTREC I Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Acc	oay or Night ed)	+1-703-527-3887 CCN838152		
Sect 2.1	Fire, Exposure, or Accident, Call CHEMTREC I Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Accident, Call CHEMTREC I	Day or Night ed)	+1-703-527-3887 CCN838152 Oral>300+<=2,000mg/kg		
	Fire, Exposure, or Accident, Call CHEMTREC I Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Accident Accide	Day or Night ed)	+1-703-527-3887 CCN838152 Oral>300+<=2,000mg/kg Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue,		
	Fire, Exposure, or Accident, Call CHEMTREC I Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Accident Accident Accident Corrosive 2	Day or Night ed)	+1-703-527-3887 CCN838152 Oral>300+<=2,000mg/kg Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation Serious eye damage: Irreversible damage 21 days after exposure,		
	Fire, Exposure, or Accident, Call CHEMTREC I Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Acc Inhalation Toxicity Acc Skin Corrosive 2 Eye Corrosive 1	Day or Night ed)	+1-703-527-3887 CCN838152 Oral>300+<=2,000mg/kg Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5 Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		
2.1	Fire, Exposure, or Accident, Call CHEMTREC I Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Acc Inhalation Toxicity Acc Skin Corrosive 2 Eye Corrosive 1 Aquatic Toxicity C3 GHS Hazards	Day or Night ed)	+1-703-527-3887 CCN838152 Oral>300+<=2,000mg/kg Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5 Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		
2.1	Fire, Exposure, or Accident, Call CHEMTREC I Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Accident Accident Accident Corrosive 2 Eye Corrosive 1 Aquatic Toxicity C3 GHS Hazards Ha02 Ha	Day or Night ed) Lite Tox. 4 Lite Tox. 4	+1-703-527-3887 CCN838152 Oral>300+<=2,000mg/kg Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5 Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		
2.1	Fire, Exposure, or Accident, Call CHEMTREC I Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Accident Accident Corrosive 2 Eye Corrosive 1 Aquatic Toxicity C3 GHS Hazards H302 Hailand Canada (collect calls accept Call	ate Tox. 4 ute Tox. 4 armful if swallowed	+1-703-527-3887 CCN838152 Oral>300+<=2,000mg/kg Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5 Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		
2.1	Fire, Exposure, or Accident, Call CHEMTREC I Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Acc Inhalation Toxicity Acc Skin Corrosive 2 Eye Corrosive 1 Aquatic Toxicity C3 GHS Hazards H302 Hai H315 Cai H318 Cai	on Night ed) Ite Tox. 4 Ite Tox. 4 Ite Tox. 4 Ite Tox. 4	+1-703-527-3887 CCN838152 Oral>300+<=2,000mg/kg Gases>2,500+<=5,000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5 Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		



Open-Cell | Polyol Component B



GHS Precautions	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P310	Immediately call a POISON CENTER in case of overexposure
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P321	Specific treatment is urgent (see Section 4 First Aid measures)
P330	Rinse mouth
P362	Take off contaminated clothing and wash before reuse
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P302+P352	IF ON SKIN: Wash with soap and water
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing
P332+P313	If skin irritation occurs: Get medical advice/attention
P501	Dispose of contents/container in accordance with existing federal, state, and local environmental control laws

2.4 GHS Label Elements Including Precautionary Statements

Hazard Pictograms





Signal Word	Danger
Acute Toxicity	
Eyes	Corrosive to eyes.
Skin	Irritating to skin.
Inhalation	Not expected to be a route of exposure.
Ingestion	Harmful if swallowed. Consult physician.
Chronic Effects	Possible harmful target organ effects.

Section 3: Composition/Data on Components

Chemical Name	CAS number	Weight Concentration %
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	20.00% - 30.00%
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched	127087-87-0	10.00% - 20.00%
Tertiary amine	N/A	1.00% - 5.00%
Ethanol, 2-[[2-(dimethylamino)ethyl]methylamino]-	2212-32-0	1.00% - 5.00%
Bis(2-dimethylaminoethyl) ether	3033-62-3	0.10% - 1.00%
1,4-Dioxane	123-91-1	0.00% - 0.10%



Inhalation	If inhaled and symptoms ensue	move to fresh air. If breathing is difficult, giv	e oxygen.		
After Eye Contact	Rinse opened eye for at least 15 rinsing. If irritation persists, cor		act lenses if present and easy to do so, and conti		
After Skin Contact	Clean affected area with soap a	nd plenty of water.			
After Swallowing	Consult physician.				
Notes to Physician	Treat symptomatically.				
on 5: Firefighting Measures					
Flash Point	200° C (392° F)				
LEL	N/A				
UEL	N/A				
Upper and Lower Explosive Limits listed i	if known				
Suitable Extinguishing Agents	Water spray, CO₂, Foam, Dry ch	emical.			
Information about Protection against Explosions and Fires	Keep away from flames and sou	rces of heat. Closed containers may rupture	when exposed to extreme heat.		
Dangerous Products of Decomposition	Oxides of carbon, oxides of nitr	ogen, oxides of phosphorus, hydrocarbons, t	races of HCN, hydrogen chloride gas.		
Protective Equipment	Firefighters should wear a press	sure demand self-contained breathing appara	itus and protective clothing.		
on 6: Accidental Release Measu	res				
Person-Related Safety Precautions	Use appropriate personal protective equipment during clean up. Evacuate and keep unnecessary people out of spill area. Avoid contact with skin and eyes.				
Measures for Environmental Protection	Cover and contain spill with ab	sorbent material. Collect for proper disposal	according to local, state, and federal regulations.		
Small Spills	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent				
Large Spills	Stop the flow of material, if this	material (e.g., cloth, fleece) clean surface thoroughly to remove residual contamination. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery,			
on 7: Handling and Storage					
on 7: Handling and Storage Information for Safe Handling	Avoid contact with eyes, skin, o	r inhalation.			
Information for Safe Handling	Avoid contact with eyes, skin, o	• • • • • • • • • • • • • • • • • • • •	een 60°F-100°F. Material mav settle.		
	· · • · · · · · · · · · · · · · · · · ·	a. Keep containers tightly closed. Store betw	een 60°F-100°F. Material may settle.		
Information for Safe Handling Storage Requirements Regulatory Requirements on 8: Exposure Controls and Per Occupational Exposure Limits	Store in dry, well-ventilated are Obey all local, state, and federa sonal Protection	a. Keep containers tightly closed. Store betw I requirements.			
Information for Safe Handling Storage Requirements Regulatory Requirements on 8: Exposure Controls and Per Occupational Exposure Limits Chemical Name / CAS No.	Store in dry, well-ventilated are Obey all local, state, and federa sonal Protection OSHA Exposure Limits	a. Keep containers tightly closed. Store betw I requirements. ACGIH Exposure Limits	Other Exposure Limits		
Information for Safe Handling Storage Requirements Regulatory Requirements on 8: Exposure Controls and Per Occupational Exposure Limits Chemical Name / CAS No. 2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5	Store in dry, well-ventilated are Obey all local, state, and federa sonal Protection OSHA Exposure Limits Not Established	a. Keep containers tightly closed. Store betw I requirements. ACGIH Exposure Limits Not Established	Other Exposure Limits Not Established		
Information for Safe Handling Storage Requirements Regulatory Requirements on 8: Exposure Controls and Per Occupational Exposure Limits Chemical Name / CAS No. 2-Propanol, 1-chloro-,	Store in dry, well-ventilated are Obey all local, state, and federa sonal Protection OSHA Exposure Limits	a. Keep containers tightly closed. Store betw I requirements. ACGIH Exposure Limits	Other Exposure Limits		
Information for Safe Handling Storage Requirements Regulatory Requirements on 8: Exposure Controls and Per Occupational Exposure Limits Chemical Name / CAS No. 2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5 Poly(oxy-1,2-ethanediyl), alpha(4-nonylphenyl)omega	Store in dry, well-ventilated are Obey all local, state, and federa sonal Protection OSHA Exposure Limits Not Established	a. Keep containers tightly closed. Store betw I requirements. ACGIH Exposure Limits Not Established	Other Exposure Limits Not Established		
Information for Safe Handling Storage Requirements Regulatory Requirements on 8: Exposure Controls and Per Occupational Exposure Limits Chemical Name / CAS No. 2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5 Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omega hydroxy-, branched 127087-87-0 Tertiary amine	Store in dry, well-ventilated are Obey all local, state, and federa sonal Protection OSHA Exposure Limits Not Established Not Established	a. Keep containers tightly closed. Store betw I requirements. ACGIH Exposure Limits Not Established Not Established	Other Exposure Limits Not Established Not Established		
Information for Safe Handling Storage Requirements Regulatory Requirements On 8: Exposure Controls and Per Occupational Exposure Limits Chemical Name / CAS No. 2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5 Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omega hydroxy-, branched 127087-87-0 Tertiary amine N/A Ethanol, 2-[[2-(dimethylamino)ethyl]	Store in dry, well-ventilated are Obey all local, state, and federa sonal Protection OSHA Exposure Limits Not Established Not Established Not Established	a. Keep containers tightly closed. Store betw I requirements. ACGIH Exposure Limits Not Established Not Established Not Established	Other Exposure Limits Not Established Not Established Not Established		



3.2	Individual Protection Measures						
	General Protective and Hygienic Measures	Usual precautionary measures shou	uld be adhered to when handling chemicals.				
	Respiratory Protection	In spray applications, an organic vapor/particulate respirator or air supplied unit is necessary. Protective chemical resistant gloves. Chemical resistant goggles must be worn.					
	Protection of Hands						
	Eye Protection						
	Body Protection	Protective work clothing. Launder s	separately.				
	Contaminated Gear	Observe local requirements. Dispos	se of in accordance with local/state/federal regulat	ions.			
Sect	ion 9: Physical and Chemical Pro	perties					
	Physical properties listed where known						
	Appearance	Amber liquid	Odor	Amine odor			
	Vapor Pressure	N/A	Odor Threshold	N/A			
	Vapor Density	N/A	рН	N/A			
	Specific Gravity	1.14	Melting Point	N/A			
	Freezing Point	N/A	Solubility	N/A			
	Boiling Range	100 - 342°C	Flash Point	392°F (200°C)			
	Evaporation Rate	N/A	Flammability	N/A			
	Explosive Limits	N/A	Partition Coefficient (n-octanol/water)	N/A			
	Autoignition Temperature	N/A	Decomposition Temperature	N/A			
Sect	Autoignition Temperature ion 10: Stability and Reactivity	N/A	Decomposition Temperature	N/A			
Sect		N/A Avoid contact with isocyanates and		N/A			
Sect	ion 10: Stability and Reactivity			N/A			
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials	Avoid contact with isocyanates and Not expected to occur.					
	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitroge	d strong oxidizing agents.		as.		
	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitroge	d strong oxidizing agents.		3S.		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitroge	d strong oxidizing agents.		as.		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitroge	d strong oxidizing agents.		3S.		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitroge 1,653mg/kg	d strong oxidizing agents.		as.		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitroge 1,653mg/kg 2,547mg/kg	d strong oxidizing agents.		as.		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50 Inhalation Toxicity LC50	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitroge 1,653mg/kg 2,547mg/kg	d strong oxidizing agents.		Inhalation LC50		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50 Inhalation Toxicity LC50 Component Toxicity	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitroge 1,653mg/kg 2,547mg/kg 16mg/L	d strong oxidizing agents. n, oxides of phosphorus, hydrocarbons, traces of H Oral LD50	ICN, hydrogen chloride ga			
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50 Inhalation Toxicity LC50 Component Toxicity Product	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitroge 1.653mg/kg 2,547mg/kg 16mg/L Description	d strong oxidizing agents. n, oxides of phosphorus, hydrocarbons, traces of H Oral LD50 1) 500 mg/kg (Rat) 1,310 mg/kg (Rat)	ICN, hydrogen chloride ga	Inhalation LC50		
Sect	Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50 Inhalation Toxicity LC50 Component Toxicity Product 13674-84-5	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitroge 1,653mg/kg 2,547mg/kg 16mg/L Description 2-Propanol, 1-chloro-, phosphate (3: Poly(oxy-1,2-ethanediyl),	d strong oxidizing agents. n, oxides of phosphorus, hydrocarbons, traces of H Oral LD50 1) 500 mg/kg (Rat) 1,310 mg/kg (Rat)	ICN, hydrogen chloride ga	Inhalation LC50		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50 Inhalation Toxicity LC50 Component Toxicity Product 13674-84-5 127087-87-0	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitroge 1,653mg/kg 2,547mg/kg 16mg/L Description 2-Propanol, 1-chloro-, phosphate (3: Poly(oxy-1,2-ethanediyl), alpha(4-nonylphenyl)omegahyv	Oral LD50 1) 500 mg/kg (Rat) distrong oxidizing agents.	Dermal LD50 1,230 mg/kg (Rabbit) 2,000 mg/kg (Rabbit)	Inhalation LC50 5 mg/L (Rat)		
Sect	ion 10: Stability and Reactivity Chemical Incompatible Materials Hazardous Polymerization Dangerous Products of Decomposition ion 11: Toxicological Information Mixture Toxicity Oral Toxicity LD50 Dermal Toxicity LD50 Inhalation Toxicity LC50 Component Toxicity Product 13674-84-5 127087-87-0 Tertiary amine	Avoid contact with isocyanates and Not expected to occur. Oxides of carbon, oxides of nitroge 1.653mg/kg 2,547mg/kg 16mg/L Description 2-Propanol, 1-chloro-, phosphate (3: Poly(oxy-1,2-ethanediyl), alpha(4-nonylphenyl)-omegahyuTertiary amine	Oral LD50 1) 500 mg/kg (Rat) distrong oxidizing agents.	Dermal LD50 1,230 mg/kg (Rabbit) 2,000 mg/kg (Rabbit)	Inhalation LC50 5 mg/L (Rat)		



1.3 Individual Toxicity Values Listed if Known

Acute Toxicity				
Eyes	Corrosive to eyes.	Chronic Effects	Possible harmful target organ effects.	
Skin	Irritating to skin.	Routes of Entry	Ingestion, skin contact, eye contact.	
Inhalation	Not expected to be a route of exposure.	Target Organs	Skin, eyes, reproductive system, kidneys.	
Ingestion	Harmful if swallowed. Consult physician.			

Chemicals with Known or Possible Carcinogenic Effects

CAS Number	Description	% Weight	Carcinogen Rating
123-91-1	1,4-Dioxane	0.0 to 0.1%	1,4-Dioxane: IARC group 2B -
			Possibly carcinogenic to humans

Section 12: Ecological Information

12.1 General Information

Based on experience, no adverse effects are to be expected if correct disposal procedures have been followed as indicated in section 13.

Individual component ecotoxicity listed if known.

12.2 Component Ecotoxicity

Product/Ingredient Name	Result			
2-Propanol, 1-chloro-, phosphate (3:1)	96 Hr LC50 Brachydanio rerio:	56.2 mg/L [static]	48 Hr EC50 Daphnia magna:	63 mg/L
	96 Hr LC50 Pimephales promelas:	98 mg/L [static]	72 Hr EC50 Desmodesmus subspicatus:	45 mg/L
	96 Hr LC50 Poecilia reticulata:	30 mg/L [static]	96 Hr EC50 Pseudokirchneriella subcapitata:	4 mg/L
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omega	48 Hr LC50 Pimephales pormelas (fathead minnow):	3.8 - 6.2 mg/L		
hydroxy-, branched	48 Hr EC50 Daphnia magna:	9.3 - 21.4 mg/L		
	16 Hr IC50 Bacteria:	>1,000 mg/L		
Tertiary amine	72 Hr ErC50 Selenastrum capricornutum:	7.9 mg/L		
	72 Hr NOEC Selenastrum capricornutum:	1.2 mg/L		

Section 13: Disposal Considerations

Recommendation	Observe local requirements. Dispose of in accordance with local/state/federal regulations.
Empty Container Precautions	Recondition or dispose of empty container in accordance with governmental regulations. If container is to be disposed, ensure all product residues are removed and container is empty prior to disposal.

Section 14: Transport Information

14.1 DOT Regulated Components

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods unless specifically cited below:

Agency	Proper Shipping Name	UN Number	Packing Group	Hazard Class
	None			



Section 15: Regulatory Information

15.1 OSHA Hazard Communication Standard

This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

15.2 SARA 311/312 Hazard Categories

Acute health hazard, chronic health hazard

15.3 WARNING

This product can expose you to chemicals listed below, which are known to the State of California to cause cancer, birth defects, or reproductive harm. For more information, visit www.P65Warnings.ca.gov

Chemical	CAS#			
Ethylene Oxide	75-21-8	1 PPM	CARC	
1,4-Dioxane	123-91-1	4 PPM	CARC	

15.4 State Regulations

Massachusetts Right To Know List	None
New Jersey Right To Know List	None
Pennsylvania Right To Know List	None

15.5 SARA 302 Extremely Hazardous Substances

None

15.6 Chemicals Subject to SARA 313 Reporting

None

Country	Regulation	All Components Listed
Canada	Canada DSL	Yes
US	Toxic Substances Control Act	Yes

Section 16: Other Information

Safety Data Sheet Issued by Product Safety Department	This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Victory Polymers Corp. The data on these sheets relates only to the specific material designated herein. Victory Polymers Corp. assumes no legal responsibility for use or reliance upon this data. It is the user's responsibility to ensure that their activities comply with federal, state, or local laws.	
Prepared By	Victory Polymers Corp.	
Current Issue Date	1/1/2023	
Revision Date	2/15/2023	